



High Pressure Hot Rolled Seamless Boiler Tubes Carbon Steel

Basic Information



Product Specification

• Product Name: Seamless Boiler Pipe

Technique: Hot Rolled, Cold Rolled, Cold Drawn
Material: Carbon Steel, Stainless Steel, Etc
Standard: API, ASTM, BS, DIN, GB, JIS

Length: CustomizedOuter Diameter: 21.3-1420mmWall Thickness: 2.11-300mm

• Section Shape: Round, Square, Or Other Special Shape

• Highlight: Hot Rolled Seamless Boiler Tubes,

 ${\bf Carbon\ High\ Pressure\ Seamless\ Boiler\ Tubes},$

Hot Rolled Carbon Steel Boiler Tubes



Product Description

High Pressure Heat Exchanger Of Seamless Stainless Steel Condenser/Steam Boiler Tube

We supply high-quality seamless steel pipe, carbon steel pipe, alloy steel pipe, precision steel pipe, honed tube, chrome rods and so on. It keeps a large number of stocks all year round with complete types and specifications; We has always been the quality first, reasonable price, thoughtful service, let customers as the principle of honesty and trustworthiness for the purpose. Choosing cooperate with our company is your right and best choices.

Specifications

| Name | Seamless Steel Boiler Pipe |
|------------------|---|
| Standard | API, ASTM, BS, DIN, GB, JIS |
| Outside Diameter | 21.3-1420mm |
| Wall Thickness | 2.11-300mm |
| Dia Tolerance | Control with in the standard, OD:+-1%, WT:+-10% |
| | 10#,20#,45#,Q235,Q345,Q195,Q215,Q345C,Q345A |
| 1 | ASTM A53A/A53B/ A178C/A106B API5L |
| | ST37,ST37-2,DIN 1629 ST35, ST45,DIN 17175 ST35.8,DIN 17175 19Mn5 |
| | 16Mn,Q345B,T1,T2,T5,T9,T11,T12,T22,T91,T92,P1,P2,P5,P9,P11,P12,P22,P91,P92, |
| | 15CrMO,Cr5Mo,10CrMo910,12CrMo,13CrMo44,30CrMo,A333GR.1,GR.3,GR.6,GR.7 |
| | Gr.B,X42,X46,X52,X60,X65,X70,X80,X100 |
| Packing | Steel strip packed. Standard Export Seaworthy Package or as required |
| | Widely used in Structure, Accessorize, Construction, |
| | Fluid transportation,machinery parts,the stress parts of the automobile |
| | tractor parts and so on |
| MOQ | 1 ton,sample order accepted |
| Shipment time | Within 7-10 workdays after receiving deposit or L/C |





Application:

General boiler seamless pipes are mainly used to make water wall pipes, boiling water pipes, superheated steam pipes, superheated steam pipes for locomotive boilers, large and small smoke pipes and arched brick pipes.

High-pressure boiler tubes are mainly used to manufacture superheater tubes, reheater tubes, air guide tubes, main steam tubes, etc. of high-pressure and ultra-high-pressure boilers.

Boiler seamless steel tube adopts steel grade:

- (1) High-quality carbon structural steel grades are 20G, 20MnG, and 25MnG.
- (2) Alloy structural steel grades 15MoG, 20MoG, 12CrMoG, 15CrMoG, 12Cr2MoG, 12CrMoVG, 12Cr3MoVSiTiB, etc.
- (3) The commonly used 1Cr18Ni9 and 1Cr18Ni11Nb boiler tubes with rust and heat-resistant steels should be subjected to hydrostatic tests, flaring and flattening tests one by one in addition to ensuring chemical composition and mechanical properties. Steel pipes are delivered in heat-treated condition.

FAQ

Q1. Are you a manufacturer or trader?

We are a manufacturer, and we can have our own factory produced many steel products.

Q2. Whether your company supports Trade Assurance order?

Yes, we can (100% product quality protection; 100% on-time shipment protection; 100% payment protection)

Q3. Can we get the some samples? Any charges?

Yes, you can get available samples in our stock. If the samples from new production, we will charge some reasonable cost, but this amount will be deducted from your first order.

Q4. How do we build up business relations with your company?

Send us your requirement which includes size, coating info, parameters, quantity, destination .

Q5. What is the MOQ?

We can accept small orders. Please feel free to contact us, we can meet your requirements.

Q6. What's your advantage?

With high-quality products and efficient customer service, we adhere to the principle of customer first.

Q7. How long is your delivery time?

Delivered within 15 days after receipt of deposit.





